



AZILED50

Zion LED Polycarbonate Floodlight - 50W Cool White



Features

Compact and economic polycarbonate LED floodlight

Cool white option

Polished faceted reflector and textured glass for optimum performance

Pre-wired with 1 metre of rubber insulated cable for ease of installation (500mm for 10W)

LED lifespan L70 30,000 hours

Non-dimmable

General Information

Lamp Type	LED
Colour / Finish	Black
IP Rating	IP65
Class Protection	2
Internal / External	External
Surface / Recessed / Suspended	Surface
Warranty (Years)	2
CE Mark	Yes
Width (mm)	204
Height (mm)	242
Depth (mm)	40

Technical Information

Wattage	50W
Lumens Delivered	4698lm
Lm/W	94 Lm/W
CRI	70
CCT	4000K
Input	230V
Hertz	50Hz
Operating Temp	-10 to 40°C

Technical Data - ETIM 6 - Downlight/spot/floodlight (EC001744)

Adjustability	Swivelling
With movement sensor	No
With light sensor	No
With light source	Yes
Suitable for number of lamps	1
Control gear included	Yes
Type of dimming	Not dimmable
Nominal voltage	230-230 V
Max. system power	50 W
Colour temperature	4000-4000 K
Material housing	Plastic
Colour housing	Black
Reflector	High-gloss
Length	242 mm
Width	204 mm
Height/depth	40 mm
Protection class	II
Degree of protection (IP)	IP65
Rated luminous flux acc. IEC 62722-2-1	4698 lm
Colour of light	White
Colour rendering index CRI	70-79

Datasheet generated from <https://www.electrika.com> last updated Thursday, November 1, 2018 4:19:11 PM

